Subject Index—Volume 9

A

Angiocardiography, effects of iodamide on the left ventricular function and on hemodynamics during: A comparison with metrizoate, 346

Angiography
- in hepatic cysts and tumors in the rat, 396
- pulmonary, effect on bronchomotor tone, 297
- studies in experimental total and lobar cholestasis in dogs, 462
- studies of cerebral circulation following various periods of cardiac arrest: A preliminary study in the dog, 374
- studies of the canine kidney following intravenous injection of methodine: A preliminary report, 404
- tantalum, in experimental hyperacute renal xenograft rejection: A physiological and radiological study, 356

Antagonism of renal angiographic effects of cadmium by zinc, 386

Antagonists to angiotensin and norepinephrine, and vasodilators in the assessment of vascular characteristics of unilateral acute renal failure in the dog, 241

Anticholinesterase and hypotensive effects of some intravenous contrast media, 282

Arteriography
- coronary, in dogs, cardiac conduction abnormalities during: Reduced effects of a new contrast medium, 340
- selective coronary, effect of *p*H on the toxicity of diatrizoate in: An experimental study in dogs, 351

Arteriovenous shunting, absence of, in peripheral arterial disease, 222

Artery, superior mesenteric, vasopressin infusions, effect of, on cardiac output and coronary blood flow in dogs, 456

Assay, bone mineral: Choice of measuring sites, 174

Atrium, left, superselective cineangiocardiography of, 133

B

Bile salts, role of, in the hepatic excretion of iopanoic acid, 7

Biopharmaceutical factors influencing the intestinal absorption of iopanoic acid, 16

Blood flow, mesenteric venous and arterial, changes in, following selective arterial injections of vasodilators, 193

Blood vessels, fixation-induced changes in the microangiographic picture of the, 408

Bone mineral assay: Choice of measuring sites, 174

Bronchomotor tone, effect of pulmonary angiography on, 297

C

Cadmium, renal angiographic effects of, antagonism of, by zinc, 386

Cardiac arrest, angiographic studies of cerebral circulation following various periods of: A preliminary study in the dog, 374

Cardiac conduction abnormalities during coronary arteriography in dogs: Reduced effects of a new contrast medium, 340

Cardiac output and coronary blood flow in dogs, effect of superior mesenteric vasopressin infusions on, 463

Cardiac output and regional flow, simple radioactive microsphere method for measuring, 126

Cardiac performance, time-modulated vector display for evaluation of (cardiac wall motion analysis using videodensitometry), 262

Cardiac wall motion analysis using videodensitometry: A time-modulated vector display for evaluation of cardiac performance, 262

Carpal angle in American populations, 217

Cecal mesentery, of the rat, microvessels in the effects of intra-arterially injected contrast media on, 273

Cerebral circulation following various periods of cardiac arrest: A preliminary study in the dog, 374

Cerebral ventricular puncture in the rat, a simple, reliable, free-hand method for, 109

Chest films, visual sampling and estimates of the location of information on, 87

Cholecystography, fractionated dose administration schedule for, 24

Choleretic action of sodium tyropanoate (bilopaque sodium) in the dog: Preliminary observations, 438

Cholestasis, experimental total and lobar, angiographic studies in dogs, 462

Cineangiocardiography, superselective left atrial, 133

Circulation, maternal, in the placenta of rhesus monkeys, imaging with radioactive microspheres to demonstrate, 65

Comment on review of "nephrographic pattern during excretory urography." 498

Common duct, tomographic visualization of the, without contrast media, 412

Connective tissue disease, patients with, intraluminal esophageal rewarming in normals and, 186

Constriction, inspiratory, of deep lymphatic vessels of the human lung, postmortem demonstration of, 1

Contrast media
- activation of serum complement system (letter to the editor, July-August), 6A
- concentration, densitometric and subjective assessment of changes in (physiology of the excretory urogram III), 104
- effect of, on normal and inflamed canine veins: A scanning and transmission electron microscopic study, 444

Subject Index—Volume 9

A

Angiocardiography, effects of iodamide on the left ventricular function and on hemodynamics during: A comparison with metrizoate, 346

Angiography
- in hepatic cysts and tumors in the rat, 396
- pulmonary, effect on bronchomotor tone, 297
- studies in experimental total and lobar cholestasis in dogs, 462
- studies of cerebral circulation following various periods of cardiac arrest: A preliminary study in the dog, 374
- studies of the canine kidney following intravenous injection of methodine: A preliminary report, 404
- tantalum, in experimental hyperacute renal xenograft rejection: A physiological and radiological study, 356

Antagonism of renal angiographic effects of cadmium by zinc, 386

Antagonists to angiotensin and norepinephrine, and vasodilators in the assessment of vascular characteristics of unilateral acute renal failure in the dog, 241

Anticholinesterase and hypotensive effects of some intravenous contrast media, 282

Arteriography
- coronary, in dogs, cardiac conduction abnormalities during: Reduced effects of a new contrast medium, 340
- selective coronary, effect of *p*H on the toxicity of diatrizoate in: An experimental study in dogs, 351

Arteriovenous shunting, absence of, in peripheral arterial disease, 222

Artery, superior mesenteric, vasopressin infusions, effect of, on cardiac output and coronary blood flow in dogs, 456

Assay, bone mineral: Choice of measuring sites, 174

Atrium, left, superselective cineangiocardiography of, 133

B

Bile salts, role of, in the hepatic excretion of iopanoic acid, 7

Biopharmaceutical factors influencing the intestinal absorption of iopanoic acid, 16

Blood flow, mesenteric venous and arterial, changes in, following selective arterial injections of vasodilators, 193

Blood vessels, fixation-induced changes in the microangiographic picture of the, 408

Bone mineral assay: Choice of measuring sites, 174

Bronchomotor tone, effect of pulmonary angiography on, 297

C

Cadmium, renal angiographic effects of, antagonism of, by zinc, 386

Cardiac arrest, angiographic studies of cerebral circulation following various periods of: A preliminary study in the dog, 374

Cardiac conduction abnormalities during coronary arteriography in dogs: Reduced effects of a new contrast medium, 340

Cardiac output and coronary blood flow in dogs, effect of superior mesenteric vasopressin infusions on, 463

Cardiac output and regional flow, simple radioactive microsphere method for measuring, 126

Cardiac performance, time-modulated vector display for evaluation of (cardiac wall motion analysis using videodensitometry), 262

Cardiac wall motion analysis using videodensitometry: A time-modulated vector display for evaluation of cardiac performance, 262

Carpal angle in American populations, 217

Cecal mesentery, of the rat, microvessels in the effects of intra-arterially injected contrast media on, 273

Cerebral circulation following various periods of cardiac arrest: A preliminary study in the dog, 374

Cerebral ventricular puncture in the rat, a simple, reliable, free-hand method for, 109

Chest films, visual sampling and estimates of the location of information on, 87

Cholecystography, fractionated dose administration schedule for, 24

Choleretic action of sodium tyropanoate (bilopaque sodium) in the dog: Preliminary observations, 438

Cholestasis, experimental total and lobar, angiographic studies in dogs, 462

Cineangiocardiography, superselective left atrial, 133

Circulation, maternal, in the placenta of rhesus monkeys, imaging with radioactive microspheres to demonstrate, 65

Comment on review of "nephrographic pattern during excretory urography." 498

Common duct, tomographic visualization of the, without contrast media, 412

Connective tissue disease, patients with, intraluminal esophageal rewarming in normals and, 186

Constriction, inspiratory, of deep lymphatic vessels of the human lung, postmortem demonstration of, 1

Contrast media
- activation of serum complement system (letter to the editor, July-August), 6A
- concentration, densitometric and subjective assessment of changes in (physiology of the excretory urogram III), 104
- effect of, on normal and inflamed canine veins: A scanning and transmission electron microscopic study, 444

induced ventricular fibrillation in the isolated rabbit heart, effects of lidocaine on, 61
inorganic iodide in, 51
intra-arterially injected, effects of, on microvessels in the rat's cecal mesentery, 273
intravenous, hypotensive effects of some, and anticholinesterase, 282
oily, distribution of, after intrasplenic and intravenous (mesenteric) injection in hepatography, 149
radiographic, intravenous, lymphatic distribution of, 56
tomographic visualization of the common duct without, 412
water-soluble, changes in renal size following intra-arterial administration of, 487
Coronary arteriography
in dogs, cardiac conduction abnormalities during: Reduced effects of a new contrast medium, 340
selective, effect of *p*H on the toxicity of diatrizoate in: An experimental study in dogs, 351
Coronary blood flow and cardiac output in dogs, effect of superior mesenteric artery vasopressin infusions on, 456

D

Densitometric and subjective assessment of changes in contrast medium concentration (physiology of the excretory urogram III), 104
Diatrizoate, effect of *p*H on toxicity of, in selective coronary arteriography: An experimental study in dogs, 351
Dose administration schedule, fractionated, for cholecystography, 24
Doses to the vertebral marrow during common x-ray examinations in clinical situations, 419

E

Ear, external, position of, radiographic assessment of: Preliminary report, 205
Emboli, pulmonary, experimental, hot clot scan as method for accurate identification of, 32
Esophageal rewarming, intraluminal, in normals and in patients with connective tissue disease, 186
Excretory urography
nephrographic pattern during, comments on review of, 498
physiology of—III. A densitometric and subjective assessment of changes in contrast medium concentration, 104
sodium vs. meglumine diatrizoate in, 117

F

Fixation-induced changes in the microangiographic picture of the blood vessels, 408
Flow
effect of intraspinal masses on, in the epidural venous system, 74
regional, and cardiac output, simple radioactive microsphere method for measuring, 126
Fluoroscopic tomography, 94

H

Heart, rabbit, isolated, effects of lidocaine on contrast medium induced ventricular fibrillation in the, 61
Hemodynamics, effects of iodamide on the, and on left ventricular function during angiocardiography: A comparison with metrizoate, 346
Hepatic cysts and tumors in the rat, angiography in, 396
Hepatic excretion of iopanoic acid, role of bile salts in, 7
Hepatography: Distribution of the oily contrast medium after intrasplenic and intravenous (mesenteric) injection, 149
Hodgkin's disease and malignant lymphoma, lymphographic accuracy in, with a note on the "reactive" lymph node as a cause of most false-positive lymphograms, 155
Hot clot scan: A method for the accurate identification of experimental pulmonary emboli, 32

I

Image, x-ray, evaluation of, improved technique for: The two dimensional modulation transfer function, 252
Imaging with radioactive microspheres to demonstrate maternal circulation in the placenta of rhesus monkeys, 65
Immune response, lymphatic microcirculatory spaces in lymph nodes during an, 82
Intestinal absorption of iopanoic acid, biopharmaceutical factors influencing, 16
Intra-arterial administration of water-soluble contrast medium, changes in renal size following, 487
Intraluminal esophageal rewarming in normals and in patients with connective tissue disease, 186
Intraspinal masses, effects of, on flow in the epidural venous system, 74
Iodamide, effects of, on the left ventricular function and on hemodynamics during angiocardiography: A comparison with metrizoate, 346
Iodide, inorganic, in contrast media, 51
Iodipamide kinetics in the dog: A multicompartmental analysis, 141
Iodized oil emulsions, for indirect lymphography, study of, 37
Iopanoic acid
biopharmaceutical factors influencing intestinal absorption of, 16
role of bile salts in hepatic excretion of, 7

K

Kidney, canine, angiographic studies of the, following intravenous injection of methedrine: A preliminary report, 404
Kinetics, of iodipamide, in the dog: A multicompartmental analysis, 141

L

Left ventricular function, effects of iodamide on the, and on hemodynamics during angiocardiography: A comparison with metrizoate, 346

Lidocaine, effects on contrast medium induced ventricular fibrillation in the isolated rabbit heart, 61
Lung, human, inspiratory constriction of deep lymphatic vessels of, postmortem demonstration of, 1
Lymph nodes
lymphatic microcirculatory spaces in, during an immune response, 82
"reactive," as a cause of most false-positive lymphograms, 155
Lymphatic distribution of intravenous radiographic contrast media, 56
Lymphatic microcirculatory spaces in lymph nodes during an immune response, 82
Lymphatic vessels, deep, of the human lung, postmortem demonstration of inspiratory constriction of, 1
Lymphography
accuracy in Hodgkin's disease and malignant lymphoma with a note on the "reactive" lymph node as a cause of most false-positive lymphograms, 155
false-positive, "reactive" lymph node as a cause of most, 155
indirect, iodized oil emulsions for, study of, 37
Lymphoma, malignant, and Hodgkin's disease, lymphographic accuracy in, with a note on the "reactive" lymph node as a cause of most false-positive lymphograms, 155

M

Meglumine vs. sodium diatrizoate in excretory urography, 117
Mesenteric arterial and venous blood flow changes following selective arterial injections of vasodilators, 193
Methedrine, intravenous injection of, angiographic studies of the canine kidney following: A preliminary report, 404
Metrizamide
a new contrast medium, reduced effects of (cardiac conduction abnormalities during coronary arteriography in dogs), 340
as a non-ionic urographic agent: A comparison with Sodium iothalamate and its dimer, 434
Metrizoate, effects of, on the left ventricular function and on hemodynamics during angiocardiography, comparison with iodamide, 346
Microangiographic picture of the blood vessels, fixation-induced changes in the, 408
Microspheres, radioactive, imaging with, to demonstrate maternal circulation in the placenta of rhesus monkeys, 65

N

"Nephrographic pattern during excretory urography," comment on review of, 498

P

Peripheral arterial disease, absence of arteriovenous shunting in, 222
*p*H, effect of, on the toxicity of diatrizoate in selective coronary arteriography: An experimental study in dogs, 351
Physiology of the excretory urogram—III. A densitometric and subjective assessment of changes in contrast medium concentration, 104
Placenta, of rhesus monkeys, maternal circulation in, imaging with radioactive microspheres to demonstrate, 65
Portocaval shunts and superior mesenteric venous collateral channels, demonstration of, following selective intra-arterial injection of vasodilators, 199
Pulmonary angiography, effect on bronchomotor tone, 297
Pulmonary arterial segments, tantalum-labeled, radiographic measurement of volume changes of—A new approach to in vivo evaluation of pulmonary arterial dynamics, 425
Pulmonary emboli, experimental, hot clot scan as method for accurate identification of, 32
Pulmonary neoplasms, vascularization of, observations on the, 227

R

Radioactive microsphere method, simple, for measuring regional flow and cardiac output, 126
Radiography
assessment of external ear position: Preliminary report, 205
measurement of volume changes of tantalum-labeled pulmonary arterial segments—A new approach to in vivo evaluation of pulmonary arterial dynamics, 425
techniques, evaluation of, by observer tests: Problems, pitfalls, and procedures, 166
Radiologic abnormalities, influence of structured noise on detection of, 479
Renal angiographic and hemodynamic responses to vasodilators: A comparison of five agents in the dog, 473
Renal angiographic effects of cadmium, antagonism of, by zinc, 386
Renal failure, unilateral acute, in the dog, vascular characteristics of: Assessment with vasodilators and antagonists to angiotensin and norepinephrine, 241
Renal size, changes in, following intra-arterial administration of water-soluble contrast medium, 479
Renal xenograft rejection, experimental hyperacute, tantalum angiography in: A physiological and radiological study, 356

S

Serum complement system, contrast media activation of (letter to the editor, July-August), 6A
Sodium iothalamate and its dimer: A comparison with metrizamide as a non-ionic urographic agent, 434
Sodium tyropanoate (bilopaque sodium) in the dog, choleretic action of: Preliminary observations, 438
Sodium vs. meglumine diatrizoate in excretory urography, 117
Structured noise, influence of, on the detection of radiologic abnormalities, 479

Superior mesenteric venous collateral channels and portocaval shunts, demonstration of, following selective intra-arterial injection of vasodilators, 199

T

Tantalum
angiography in experimental hyperacute renal xenograft rejection: A physiological and radiological study, 356
bronchography, properties of tantalum powder used in, 284
-labeled pulmonary arterial segments, radiographic measurement of volume changes of—A new approach to in vivo evaluation of pulmonary arterial dynamics, 425
Time-modulated vector display for evaluation of cardiac performance (cardiac wall motion analysis using videodensitometry), 262
Tomography
fluoroscopic, 94
visualization of the common duct without contrast media, 412
Two dimensional modulation transfer function, the, an improved technique for x-ray image evaluation, 252

U

Urographic agent, nonionic, metrizamide as a: A comparison with sodium iothalamate and its dimer, 434
Urography
excretory, physiology of—III. A densitometric and subjective assessment of changes in contrast medium concentration, 104
excretory, sodium vs. megumine diatrizoate in, 117

V

Vascular characteristics of unilateral acute renal failure in the dog: Assessment with vasodilators and antagonists to angiotensin and norepinephrine, 241
Vascularization of secondary pulmonary neoplasms, observations on the, 227
Vasodilators
and antagonists to angiotensin and norepinephrine in the assessment of vascular characteristics of unilateral acute renal failure in the dog, 241
renal angiographic and hemodynamic responses to: A comparison of five agents in the dog, 473
selective arterial injections of, mesenteric arterial and blood flow changes following, 193
selective intra-arterial injection of, demonstration of portocaval shunts and superior mesenteric venous collateral channels following, 199
Vasopressin infusions, superior mesenteric artery, effect of, on cardiac output and coronary blood flow in dogs, 456
Veins, canine, normal and inflamed, effect of contrast media on: A scanning and transmission electron microscopic study, 444
Venous system, epidural, effect of intraspinal masses on flow in the, 74
Ventricular fibrillation, contrast medium induced, in the isolated rabbit heart, effects of lidocaine on, 61
Vertebral marrow, doses to the, during common x-ray examinations in clinical situations, 419
Videodensitometry in cardiac wall motion analysis: A time-modulated vector display for evaluation of cardiac performance, 262
Visual sampling and estimates of the location of information on chest films, 87
Volume changes of tantalum-labeled pulmonary arterial segments, radiographic measurement of—A new approach to in vivo evaluation of pulmonary arterial dynamics, 425

X

X-ray
examinations, common, in clinical situations, doses to the vertebral marrow during, 419
image evaluation, improved technique for: The two-dimensional modulation transfer function, 252

Z

Zinc, antagonism of renal angiographic effects of cadmium by, 386

Authors' Index–Volume 9

A

Amberg, J.R., *see* Nelson, J.A.
Arnman, K., *see* Kaude, J.

B

Baily, N.A., Crepeau, R.L., Lasser, E.C.: Fluoroscopic tomography, 94
Bartrum, R.J., Jr., Berkowitz, D.M., Hollenberg, N.K.: A simple radioactive microsphere method for measuring regional flow and cardiac output, 126
Benness, G.T., *see* Evill, C.A.
Bergan, A., Enge, I., Hall, Chr.: Angiographic studies in experimental total and lobar cholestasis in dogs, 469
Berk, R.N., Goldberger, L.E., Loeb, P.M.: The role of bile salts in the hepatic excretion of iopanoic acid, 7
see also Goldberger, L.E.
Berkowitz, D.M., *see* Bartrum, R.J., Jr.
Biery, D.N., *see* Thind, G.S.
Billingham, M., *see* Castellino, R.A.
Bove, A.A., *see* Trägårdh, B.
Bradley, B., *see* Harell, G.S.
Burgener, F.A., *see* Fischer, H.W.

C

Cade, J.F., Hynes, D.M., Garnett, E.S., Regoeczi, E., Hirsh, J.: Hot clot scan: A method for the accurate identification of experimental pulmonary emboli, 32
Capp, M.P., *see* Gray, J.E.
Carrington, C.B., *see* Friedman, P.J.
Carroll, F.E., Weisbrod, G., Greenspan, R.H.: Radiographic measurement of volume changes of tantalum-labelled pulmonary arterial segments—A new approach to in vivo evaluation of pulmonary arterial dynamics, 425
Castellino, R.A., Billingham, M., Dorfman, R.F.: Lymphographic accuracy in Hodgkin's disease and malignant lymphoma with a note on the "reactive" lymph node as a cause of most false-positive lymphograms, 155
Christian, P.E., *see* Kyaw, M.M.
Cockett, A.T.K., *see* Hegedüs, V.
Coel, M., *see* Lang, J.H.
Corn, M., *see* Weyel, D.A.
Cramer, B.M., *see* Hegedüs, V.
Crepeau, R.L., *see* Baily, N.A.

D

Dalén, N., Jacobsen, B.: Bone mineral assay: Choice of measuring sites, 174
Davidson, J.W., Hobbs, B.B.: The lymphatic microcirculatory spaces in lymph nodes during an immune response, 82, *see also* Nagy, E.J.
Donner, M.W., *see* James, A.E., Jr.
Doppman, J.L.: The effect of intraspinal masses on flow in the epidural venous system, 74
Dorfman, R.F., *see* Castellino, R.A.
Dorph, S.: Changes in renal size following intra-arterial administration of water-soluble contrast medium, 494
Duré-Smith, P.: Comment on review of "nephrographic pattern during excretory urography," 505
Duré-Smith, P., Rosen, R., Stern, A., Fraimow, H., Simenhoff, M.: Physiology of the excretory urogram III. A densitometric and subjective assessment of changes in contrast medium concentration, 104

E

Ekelund, L., Henrikson, H., Olin, T., Sjogren, H.-O.; Angiography in hepatic cysts and tumors in the rat, 396
Enge, I., *see* Bergan, A.
Evill, C. A., Benness, G.T.: Metrizamide as a non-ionic urographic agent: A comparison with sodium iothalamate and its dimer, 434

F

Fischer, H.W., Burgener, F.A.: Fractionated dose administration schedule for cholecystography, 24
Fisher, C.H., Sheff, R.N., Novak, G., White, R.I., Jr.: The effect of superior mesenteric artery vasopressin infusions on cardiac output and coronary blood flow in dogs, 463
Fraimow, H., *see* Duré-Smith, P.
Friedman, P.J., Jones, A.M., Carrington, C.B.: Observations on the vascularization of secondary pulmonary neoplasms, 227
Fries, J.F., *see* Harell, G.S.

G

Gamsu, G., *see* Julien, P.J.
Garn, S.M., *see* Harper, H.A.S.
Garnet, E.S., *see* Cade, J.F.
Giargiana, F.A., Jr., White, R.I., Jr., Greyson, N.D., Rhodes, B.A., Siegel, M.E., Wagner, H.N., Jr., James, A.E., Jr.: Absence of arteriovenous shunting in peripheral arterial disease, 222
Gibbons, P.D., *see* Kupic, E.A.
Gold, J.A., *see* Harell, G.S.
Goldberger, L.E., Berk, R.N., Lang, J.H., Loeb, P.M.: Biopharmaceutical factors influencing the intestinal absorption of iopanoic acid, 16
see also Berk, R.N.
Graber, M.A., *see* Revesz, G.
Gray, J.E., Capp, M.P., Whitehead, F.R.: An improved technique for x-ray image evaluation: the two dimensional modulation transfer function, 252
Greenspan, R.H., *see* Carroll, F.E.
Greyson, N.D., *see* Giargiana, F.A., Jr.
Griffin, J., *see* Livingston, A.

H

Hall, Chr., *see* Bergan, A.
Harell, G.S., Gold, J.A., Fries, J.F., Bradley, B., Zboralski, F.F.: Intraluminal esophageal rewarming in normals and in patients with connective tissue disease, 186
Harper, H.A.S., Poznanski, A.K., Garn, S.M.: The carpal angle in American populations, 217
Hartmann, A., *see* Schad, N.
Hegedüs, V., Cramer, B.M., Cockett, A.T.K.: Lymphatic distribution of intravenous radiographic contrast media, 56
Hendin, A.S.: Postmortem demonstration of inspiratory constriction of deep lymphatic vessels of the human lung, 1

Henrikson, H., *see* Ekelund, L.
Hirsch, J., *see* Cade, J.F.
Hobbs, B.B., *see* Davidson, J.W.
Hollenberg, N.K., *see* Bartrum, R.J., Jr.
see also Newhouse, J.H., *and* Ozer, H.
Hynes, D.M., *see* Cade, J.F.

J

Jacobson, B., *see* Dalén, N.
James, A.E., Jr., Siegel, M.E., Ramsey, E.M., Panigel, M., Misenhimer, R., Donner, M.W.: Imaging with radioactive microspheres to demonstrate maternal circulation in the placenta of rhesus monkeys, 65
see also Giargiana, F.A., Jr.
Jones, A.M., *see* Friedman, P.J.
Jonsson, K., Olin, T.: The study of iodized oil emulsions for indirect lymphography, 37
Julien, P.J., Gamsu, G.: The effect of pulmonary angiography on bronchomotor tone, 297

K

Kaftori, J.K., Paulin, S.: The effect of *p*H on the toxicity of Diatrizoate in selective coronary arteriography: An experimental study in dogs, 351
Kaude, J., Lunderquist, A., Persson, S., Arnman, K.: The effects of Iodamide on the left ventricular function and on hemodynamics during angiocardiography: A comparison with Metrizoate, 346
Klee, J.G., Praestholm, J.: A simple, reliable, free-hand method for cerebral ventricular puncture in the rat, 109
Knight, R.D., *see* Knoefel, P.K.
Knoefel, P.K., Kraft, R.P., Jr., Knight, R.D., Moore, S.K.: Sodium versus meglumine diatrizoate in excretory urography, 117
Koehler, P.R., *see* Kyaw, M.M.
Kolb, W.P., *see* Lasser, E.C.
Kolin, A., *see* Nagy, E.J.
Kormano, M., *see* Suoranta. H.
Kraft, R.P., Jr., *see* Knoefel, P.K.
Kuhns, L.R., Poznanski, A.K.: Radiographic assessment of external ear position: Preliminary report, 205
Kundel, H.L.: Visual sampling and estimates of the location of information on chest films, 87
Kundel, H.L., Revesz, G.: The evaluation of radiographic techniques by observer tests: Problems, pitfalls, and procedures, 166
see also Revesz, G.
Kunz, H., *see* Schad, N.
Kupic, E.A., Gibbons, P.D., Leavitt, T.: Angiographic studies of the canine kidney following intravenous injection of methedrine: A preliminary report, 404
Kyaw, M.M., Christian, P.E., Koehler, P.R.: Hepatography: Distribution of the oily contrast medium after intrasplenic and intravenous (mesenteric) injection, 149

L

Lang, J. H., Lasser, E.C., Talner, L.B., Lyon, S., Coel, M.: Inorganic iodide in contrast media, 51
see also Goldberger, L.E., *and* Lasser, E.C.
Lasser, E.C., Kolb, W.P., Lang, J.H.: Contrast media activation of serum complement system (letter to the editor, July-August) 6A
see also Baily, N.A., *and* Lang, J.H.
Leavitt, T., *see* Kupic, E.A.
Lee, T.C., *see* Weyel, D.A.
Lin, S.-R.: Angiographic studies of cerebral circulation following various periods of cardiac arrest: A preliminary study in the dog, 374
Livingston, A., Sooriyamoorthy, T., Griffin, J.: Anticholinesterase and hypotensive effects of some intravenous contrast media, 282
Loeb, P.M., *see* Berk, R.N.
see also Goldberger, L.E.
Lunderquist, A., *see* Kaude, J.
Lynch, P.R., *see* Ritchie, W.G.M.
see also Trägårdh, B.
Lyon, S., *see* Lang, J.H.

M

Margulis, A.R., *see* Seidlitz, L.
McKnight, R., *see* Schad, N.
Misenhimer, R., *see* James, A.E., Jr.
Moore, S.K., *see* Knoefel, P.K.
Moss, A.A., *see* Shames, D.M.

N

Nagy, E.J., Kolin, A., Davidson, J.W., Taylor, G.A.: Tantalum angiography in experimental hyperacute renal xenograft rejection: A physiological and radiological study, 356
Nelson, J.A., Staubus, A.E., Amberg, J.R.: The choleretic action of sodium tyropanoate (bilopaque sodium) in the dog: Preliminary observations, 438
Newhouse, J.H., Hollenberg, N.K.: Vascular characteristics of unilateral acute renal failure in the dog: Assessment with vasodilators and antagonists to angiotensin and norepinephrine, 241
Novak, G., *see* Fisher, C.H.

O

Olin, T., *see* Ekelund, L.
see also Jonsson, K.
Ozer, H., Hollenberg, N.K.: Renal angiographic and hemodynamic responses to vasodilators: A comparison of five agents in the dog, 480

P

Panigel, M., *see* James, A.E., Jr.
Paulin, S., *see* Kaftori, J.K.
Persson, S., *see* Kaude, J.
Poznanski, A.K., *see* Harper, H.A.S.
see also Kuhns, L.R.
Praestholm, J., *see* Klee, J.G.

R

Ramsey, E.M., *see* James, A.E., Jr.
Redman, H.C.: Demonstration of portocaval shunts and superior mesenteric venous collateral channels following selective intra-arterial injection of vasodilators, 199
Redman, H.C.: Mesenteric arterial and venous blood flow changes following selective arterial injections of vasodilators, 193
Regoeczi, E., *see* Cade, J.F.
Revesz, G., Kundel, H.L., Graber, M.A.: The influence of structured noise on the detection of radiologic abnormalities, 486
see also Kundel, H.L.
Rhodes, B.A., *see* Giargiana, F.A., Jr.
Ritchie, W.G.M., Lynch, P.R., Stewart, G.J.: The effect of contrast media on normal and inflamed canine veins: A scanning and transmission electron micro-

scopic study, 444
see also Tuma, R.F.
Rosen, L., *see* Silverman, N.R.
Rosen, R., *see* Duré-Smith, P.

S

Schad, N., McKnight, R., Kunz, H., Hartmann, A., Jr.: Super-selective left atrial cineangiocardiography, 133
Seidlitz, L., Margulis, A.R.: Doses to the vertebral marrow during common x-ray examinations in clinical situations, 419
Shames, D.M., Moss, A.A.: Iodipamide kinetics in the dog: A multicompartmental analysis, 141
Sheff, R.N., *see* Fisher, C.H.
Siegel, M.E., *see* Giargiana, F.A., Jr. *see also* James, A.E., Jr.
Silverman, N.R., Rosen, L., Simon, A.L.: Cardiac wall motion analysis using videodensitometry: A time-modulated vector display for evaluation of cardiac performance, 262
Simenhoff, M., *see* Duré-Smith, P.
Simon, A.L., *see* Silverman, N.R.
Sjogren, H.-O., *see* Ekelund, L.
Smith, T.R.: Tomographic visualization of the common duct without contrast media, 412
Sooriyamoorthy. T., *see* Livingston, A.
Staubus, A.E., *see* Nelson, J.A.
Stern, A., *see* Duré-Smith, P.
Stewart, G. J., *see* Ritchie, W.G.M.
Suoranta, H., Kormano, M.: Fixation-induced changes in the microangiographic picture of the blood vessels, 408

T

Talner, L.B., *see* Lang, J.H.
Taylor, G.A., *see* Nagy, E.J.
Thind, G.S., Biery, D.N.: Antagonism of renal angiographic effects of cadmium by zinc, 386
Trägårdh, B.: Effects of lidocaine on contrast medium induced ventricular fibrillation in the isolated rabbit heart, 61
Trägårdh, B., Bove, A.A., Lynch, P.R.: Cardiac conduction abnormalities during coronary arteriography in dogs: Reduced effects of a new contrast medium, 340
Tuma, R.F., Ritchie, W.G.M., Wiedeman, M.P.: Effects of intra-arterially injected contrast media on microvessels in the rat's cecal mesentery, 273

W

Wagner, H.N., Jr., *see* Giargiana, F.A., Jr.
Weisbrod, G., *see* Carroll, F.E.
Weyel, D.A., Lee, T.C., Corn, M.: Properties of tantalum powder used in tantalum bronchography, 284
White, R.I., Jr., *see* Fisher, C.H. *see also* Giargiana, F.A., Jr.
Whitehead, F.R., *see* Gray, J.E.
Wiedeman, M.P., *see* Tuma, R.F.

Z

Zboralski, F.F., *see* Harell, G.S.

Association of University Radiologists

Application to Present Paper at
1975 Annual Scientific Session

Instructions

1. *Type* information requested single-spaced, except between headings, on the enclosed form using the following format:

SELECTIVE OPACIFICATION OF ABDOMINAL ORGANS
J. E. Jones, M.D., L. E. Smith, M.D. and P. A. Johnson, Ph.D.
East State University Medical College, Easton, Maine 20439

2. Abstract should be typed, single spaced, using 4 paragraphs devoted sequentially to the following topics: (i) The object of the study. (ii) The methods and procedures used. (iii) The results. (iv) The conclusions based upon these results.

3. Append as a last line of abstract any research grant support, if applicable. (e.g. Supported by USPHS Grant HE-93721)

4. Underline name of person who will present paper.

5. (i) Total text of abstract should not exceed 300 words. (ii) Abstract, if accepted, will not be proofread and will appear exactly as typed.